```
/**
 * Search Results Table
 *
 * @param uri $uri - base uri (default: page.uri)
 * @param map $params - query params to preserve
 * @param str $term - term to search for
 * @param str $default - default sort (default: nil)
 * @param num $perPage - results per page (default: 30)
 */
var uri = $uri ?? page.uri;
var preserve = $params ?? {};
var searchTerm = $term ?? "";
var defaultSort = $default;
var resultsPerPage = $perPage ?? 30;

var dateSince = $dateSince; // nullable
var dateBefore = $dateBefore ?? date.now;

// compute the page
var currentPage = __request.args.page ?? 1;
if (currentPage < 1) {
    let currentPage = 1;
}
var currentSort =  __request.args.sortBy ?? defaultSort;

// fetch the results
var queryResults = searchanalytics.queries{
    groupby: "query",
    term: searchTerm,
    offset: (currentPage - 1) * resultsPerPage,
    limit: (resultsPerPage + 1),
    since: dateSince,
    before: dateBefore
};

var queryCount = #queryResults.queries;
var moreResults = (queryCount > resultsPerPage);
if (moreResults) {
    let queryCount -= 1;
}

// Paging
Template('MindTouch/Reports/Controls/SearchPagingNext', {
    uri: uri,
    params: preserve,
    next: moreResults,
    showing: queryCount,
    perPage: resultsPerPage,
    showingKey: "MindTouch.SearchAnalytics.paging.results"
```

```
});

<table class="table mt-report-results">
    Template('MindTouch/Controls/TableSortHeading', {
        uri: uri,
        params: preserve,
        columns: [
            {
                width: "300",
                label:
wiki.localize("MindTouch.SearchAnalytics.data.query")
            },
            {
                width: "25",
                label:
wiki.localize("MindTouch.SearchAnalytics.data.hits"),
                class: "data-type-numeric"
            },
            {
                width: "",
                label:
wiki.localize("MindTouch.SearchAnalytics.data.date.search"),
                class: "data-type-datetime"
            },
            {
                width: "",
                label:
wiki.localize("MindTouch.SearchAnalytics.data.clicked")
            }
        ],
        enabled: (queryCount > 0)
    });

    if (queryCount < 1) {
        <tr>
            <td colspan="4">
                wiki.localize("MindTouch.Reports.data.empty")
            </td>
        </tr>
    }

    foreach (var queryResult in queryResults.queries where __index <
queryCount) {
        <tr class=("row-" .. (__count % 2))>
            <td>
            if (#queryResult.sortedterms) {
                <a href=(uri & preserve & {term: searchTerm, query:
queryResult.sortedterms})>
                    queryResult.sortedterms;
                </a>
```

```
            } else {

<em>wiki.localize("MindTouch.SearchAnalytics.terms.none")</em>
            }
            </td>
            <td class="data-type-numeric">
                queryResult.count
            </td>
            <td class="data-type-datetime">
                Template("MindTouch/Controls/DateTime",
[queryResult.datesearched, "datetime"]);
            </td>
            if (#queryResult.selectedresults == 0) {
                <td>"--"</td>
            } else {
                Template(
                    "MindTouch/Reports/Controls/TableCellResult",
                    queryResult.selectedresults[0]
                );
            }
        </tr>
    }
</table>

// Paging
Template('MindTouch/Reports/Controls/SearchPagingNext', {
    uri: uri,
    params: preserve,
    more: moreResults,
    showing: queryCount,
    perPage: resultsPerPage,
    showingKey: "MindTouch.SearchAnalytics.paging.results"
});

// debugging
//web.pre(json.format(queryResults));
```