```
/***
    USAGE:

    Guide(description)
        Show a content guide that organizes the tree rooted at the guide
pages into types of pages (topics, tutorials, troubleshooting and
reference).

    PARAMETERS:

    description : str
        Description of what this guide covers.

***/

// Redirect to custom page, if any
var template_custom = __page.path .. 'Custom';
if (wiki.pageexists(template_custom)) {
    return template(template_custom, $);
}

var description = $0 ?? $description;

// build list of all child pages in order of appearance
var common_parents = page.parents;
var tree = wiki.tree();
var pageids = [ xml.num(id) foreach var id in tree["//@pageid"] ];
var pages = {
    (p.id): p .. {
        parents: list.splice(p.parents, 0, #common_parents),
        topic: #[ t foreach var t in tags where
string.startswith(t.value, 'article:topic') ] > 0,
        tutorial: #[ t foreach var t in tags where
string.startswith(t.value, 'article:task-tutorial') ] > 0,
        troubleshooting: #[ t foreach var t in tags where
string.startswith(t.value, 'article:task-troubleshooting') ] > 0,
        reference: #[ t foreach var t in tags where
string.startswith(t.value, 'article:reference') ] > 0,
        beginner: #[ t foreach var t in tags where
string.endswith(t.value, 'beginner') ] > 0,
        intermediate: #[ t foreach var t in tags where
string.endswith(t.value, 'intermediate') ] > 0,
        advanced: #[ t foreach var t in tags where
string.endswith(t.value, 'advanced') ] > 0,
        feature: #[ t foreach var t in tags where
string.endswith(t.value, 'feature') ] > 0,
        sample: #[ t foreach var t in tags where string.endswith(t.value,
'sample') ] > 0
    } foreach
```

```
        var id in pageids,
        var p = wiki.getpage(id),
        var tags = p.tags
};
var topics = [ p foreach var id in pageids, var p = pages[id], if p.topic
];
var tutorials = [ p foreach var id in pageids, var p = pages[id], if
p.tutorial ];
var troubleshootings = [ p foreach var id in pageids, var p = pages[id],
if p.troubleshooting ];
var references = [ p foreach var id in pageids, var p = pages[id], if
p.reference ];

// the guide expects to be within a <table>
<td>
<div class="mindtouch-content mindtouch-collection">
    var guide = __request.args.guide ?? 'guide';

    // can preload when not on history tab
    var class_preload = (guide != 'history') ? 'mt-guide-preload' :
'';

    /*
     * Master Tabs
     */
    <div class="mt-control-nav">
        <ul>
            <li class=(guide == "guide" ? "active" : "")>
                <a rel="custom" href=(page.uri & { guide: nil })
id="guide-guide" class=(class_preload)>
                    wiki.localize("MindTouch.IDF.guide");
                    " ";
                    <span class="count">"("; #topics; ")";</span>
                </a>
            </li>
            <li class=(guide == "tutorial" ? "active" : "")>
                <a rel="custom" href=(page.uri & { guide: "tutorial" })
id="guide-tutorial" class=(class_preload)>
                    wiki.localize("MindTouch.IDF.tutorial");
                    " ";
                    <span class="count">"("; #tutorials; ")";</span>
                </a>
            </li>
            <li class=(guide == "reference" ? "active" : "")>
                <a rel="custom" href=(page.uri & { guide: "reference" })
id="guide-reference" class=(class_preload)>
                    wiki.localize("MindTouch.IDF.reference");
                    " ";
                    <span class="count">"("; #references; ")";</span>
                </a>
```

```
            </li>
            <li class=(guide == "troubleshooting" ? "active" : "")>
                <a rel="custom" href=(page.uri & { guide:
"troubleshooting" }) id="guide-troubleshooting" class=(class_preload)>
                    wiki.localize("MindTouch.IDF.troubleshooting");
                    " ";
                    <span class="count">"("; #troubleshootings;
")";</span>
                </a>
            </li>
            <li class=(guide == "history" ? "active" : "")>
                <a rel="custom" href=(page.uri & { guide: "history" })
id="guide-history">
                    wiki.localize("MindTouch.IDF.history");
                </a>
            </li>
        </ul>
    </div>

    // all tabs except history are preloaded; render them in full, but
hide with CSS
    if (guide == 'history') {
             <div class="page-history">Template("MindTouch/IDF/Controls/
ListChanges", {
               limit: 100,
               depth: 'infinity'
          });
            </div>
    }
    else {
            /*
             * Tutorials Tab
             */
             var style_tutorial = (guide == 'tutorial') ? '' : 'display:
none;';
             <div style=(style_tutorial) class="guide-content"
id="guide-tutorial-content">
                if(#tutorials == 0) {
                    <div class="mt-control-nocontent">
                        <p
class="nocontent-title">wiki.localize("MindTouch.IDF.tutorial.empty");</p>

<p>wiki.localize("MindTouch.IDF.tutorial.text");</p>
                    </div>
                } else {
                    <div class="mt-control-pagelist">
                        <div class="mt-control-subnav">

<p>wiki.localize("MindTouch.IDF.tutorial.view");</p>
                            <ul>
```

```
                                <li><a href="#tutorial-beginner">

wiki.localize("MindTouch.IDF.tutorial.beginner.short");</a>
                                </li>
                                <li><a href="#tutorial-intermediate">

wiki.localize("MindTouch.IDF.tutorial.intermediate.short");</a>
                                </li>
                                <li><a href="#tutorial-advanced">

wiki.localize("MindTouch.IDF.tutorial.advanced.short");</a>
                                </li>
                            </ul>
                        </div>

                        var p = [ p foreach var p in tutorials where
p.beginner ];
                        if(#p > 0) {
                            <div class="subtitle" id="tutorial-beginner">

wiki.localize("MindTouch.IDF.tutorial.beginner");
                            </div>
                            template("MindTouch/IDF/Controls/
PageListWithBreadcrumbs", {
                                pages: p,
                                heading: "h4"
                            });
                        }

                        var p = [ p foreach var p in tutorials where
p.intermediate ];
                        if(#p > 0) {
                            <div class="subtitle"
id="tutorial-intermediate">

wiki.localize("MindTouch.IDF.tutorial.intermediate");
                            </div>
                            template("MindTouch/IDF/Controls/
PageListWithBreadcrumbs", {
                                pages: p,
                                heading: "h4"
                            });
                        }

                        var p = [ p foreach var p in tutorials where
p.advanced ];
                        if(#p > 0) {
                            <div class="subtitle" id="tutorial-advanced">

wiki.localize("MindTouch.IDF.tutorial.advanced");
```

```
                            </div>
                            template("MindTouch/IDF/Controls/
PageListWithBreadcrumbs", {
                                pages: p,
                                heading: "h4"
                            });
                        }
                    </div>
                }
             </div> // end tutorial

            /*
             * Troubleshooting Tab
             */
            var style_troubleshooting = (guide == 'troubleshooting') ? ''
: 'display: none;';
            <div style=(style_troubleshooting)
id="guide-troubleshooting-content" class="guide-content">
                if(#troubleshootings == 0) {
                    <div class="mt-control-nocontent">
                        <p
class="nocontent-title">wiki.localize("MindTouch.IDF.troubleshooting.empty");</p

<p>wiki.localize("MindTouch.IDF.troubleshooting.text");</p>
                    </div>
                } else {
                    <div class="mt-control-pagelist">
                    <div class="subtitle">

wiki.localize("MindTouch.IDF.troubleshooting.subtitle");
                    </div>
                    template("MindTouch/IDF/Controls/
PageListWithBreadcrumbs", {
                        pages: troubleshootings
                    });
                    </div>
                }
            </div>

                /*
             * Reference Tab
             */
             var style_reference = (guide == 'reference') ? '' :
'display: none;';
            <div style=(style_reference) id="guide-reference-content"
class="guide-content">
                if(#references == 0) {
                   <div class="mt-control-nocontent">
                        <p
class="nocontent-title">wiki.localize("MindTouch.IDF.reference.empty");</p>
```

```
<p>wiki.localize("MindTouch.IDF.reference.text");</p>
                    </div>
                } else {
                    <div class="mt-control-pagelist">
                       <div class="mt-control-subnav">

<p>wiki.localize("MindTouch.IDF.reference.view");</p>
                            <ul>
                                <li><a href="#reference-feature">

wiki.localize("MindTouch.IDF.reference.feature.short");</a>
                                </li>
                                <li><a href="#reference-sample">

wiki.localize("MindTouch.IDF.reference.sample.short");</a>
                                </li>
                            </ul>
                        </div>

                        var p = [ p foreach var p in references where
p.feature ];
                        if(#p > 0) {
                            <div class="subtitle" id="reference-feature">

wiki.localize("MindTouch.IDF.reference.feature");
                            </div>
                            template("MindTouch/IDF/Controls/
PageListWithBreadcrumbs", {
                                pages: p,
                                heading: "h4"
                            });
                        }

                        var p = [ p foreach var p in references where
p.sample ];
                        if(#p > 0) {
                            <div class="subtitle" id="reference-sample">

wiki.localize("MindTouch.IDF.reference.sample");
                            </div>
                            template("MindTouch/IDF/Controls/
PageListWithBreadcrumbs", {
                                pages: p,
                                heading: "h4"
                            });
                        }

                    </div>
                }
```

```
            </div>

            /*
             * Main guide page
             */
            var style_guide = (guide == 'guide') ? '' : 'display: none;';
            <div style=(style_guide) class="guide-content"
id="guide-guide-content">
                wiki.template("MindTouch/IDF/Views/GuideContent",
{description: description, pages: pages });
            </div>
       } // end ajax tabs
</div>
</td>

$(function(){
    $('a.mt-guide-preload').attr('href', '#').click(function(){
        $('.mt-control-nav li').removeClass('active');
        $('.guide-content').hide();

        $('#' + $(this).attr('id') + '-content').show();
        $(this).parent().addClass('active');
        return false;
    });
});

#pageText table,
#pageText table td {
    border: none;
}
```