

```
/**
  USAGE:

  KB(description)
    Show a knowledge base that organizes subpages into featured pages
  and pages by tags.

  PARAMETERS:

  description : str
    Description of what this knowledge base covers.

***/

// redirect to custom page, if any
var template_custom = __page.path .. 'Custom';
if (wiki.pageexists(template_custom)) {
  return template(template_custom, $);
}

// read parameters
var description = $0 ?? $description;
if(description is xml) {
  let description = xml.html(description["/*[@id='kb-description']"])
  !! '(bad description format)';
}

// read request parameters
var view = __request.args.v;
switch(view) {
case 'all':
case 'tags':
  break;
case 'featured':
default:
  let view = 'featured';
}

// read sub-pages
var pages = map.values(page.subpages);

// text definitions
var featured_title = wiki.localize('MindTouch.IDF.kb.view.featured');
var tags_title = wiki.localize('MindTouch.IDF.kb.view.tagged');
var all_title = wiki.localize('MindTouch.IDF.kb.view.all');
var create_label = wiki.localize('MindTouch.IDF.kb.action');
var notags_label =
xml.text(wiki.localize('MindTouch.IDF.kb.tagged.notags'));
```

```

// ui layouts
var user_can_create = wiki.pagepermissions().create;
var create_button = user_can_create ? <div class="new-kb">
  wiki.create{
    label: create_label,
    template: 'MindTouch/IDF/Pages/Knowledge_Base_Page',
    title: create_label
  };
</div> : nil;

var missing_text = <div class="mt-control-nocontent">
  <p class="nocontent-title">
    wiki.localize("MindTouch.IDF.kb.empty");
  </p>
  <p>
    if(user_can_create) {
      wiki.localize("MindTouch.IDF.kb.text.author");
    } else {
      wiki.localize("MindTouch.IDF.kb.text.visitor");
    }
  </p>
  create_button
</div>;

// show tabs with button
<div class="mt-control-nav">
  create_button;
  <ul>
    <li class=(view === 'featured' ? 'active' : nil)>
      <a href=(page.uri & { v: 'featured' }) rel="custom">
        featured_title
      </a>
    </li>
    <li class=(view === 'tags' ? 'active' : nil)>
      <a href=(page.uri & { v: 'tags' }) rel="custom">
        tags_title
      </a>
    </li>
    <li class=(view === 'all' ? 'active' : nil)>
      <a href=(page.uri & { v: 'all' }) rel="custom">
        all_title
      </a>
    </li>
  </ul>
</div>

// show tab contents
switch(view) {
case 'featured':
  template('MindTouch/IDF/Controls/TopPages', {

```

```

        id: 'mindtouch-kb',
        pages: pages,
        limit: 15,
        description: description,
        missing: missing_text
    });
case 'tags':
    template('MindTouch/IDF/Controls/PageDirectory', {
        id: 'mindtouch-kb',
        pages: pages,
        mapping: '',
        description: description,
        missing: missing_text,
        unclassified: notags_label
    });
case 'all':
    template('MindTouch/IDF/Controls/PageDirectory', {
        id: 'mindtouch-kb',
        pages: pages,
        description: description,
        missing: missing_text,
        unclassified: notags_label,
        columns: 1
    });
}

.mt-control-nav ul li {
    list-style-type: none;
}

#mindtouch-kb,
#mindtouch-kb td {
    border:none;
    color:#333335;
}
#mindtouch-kb h3 {
    border-top: 2px solid #000000;
    font-size: 16px;
    font-weight: bold;
    margin: 15px 0 0 0;
    color:#4F6B72;
    padding: 6px 0 0 0;
}
#mindtouch-kb p {
    color:#4F6B72;
}
#mindtouch-kb .left {
    margin-right:15px;
}
#mindtouch-kb .right {

```

```
        margin-left:25px;
    }
    #mindtouch-kb ul,
    #mindtouch-kb ol {
        padding-left:17px;
    }
    #mindtouch-kb ul li,
    #mindtouch-kb ol li {
        margin-bottom:5px;
    }
    #mindtouch-kb a {
        text-decoration:none;
    }
    #mindtouch-kb a:hover {
        text-decoration:underline;
    }
    #mindtouch-kb .count {
        color:#737373;
        font-weight:normal;
        font-size:10px;
        letter-spacing:.5px;
    }
    .new-kb {
        float:right;
    }
```